

Skip this form & e-prescribe! <u>Select BioPlus</u> from your EHR CROHN'S/UC

PATIENT INFORMATION										
Name:			SSN:				DOB:			
Address:			City:		State:		ZIP:			
ome Phone: Cell:		Height: V		Weigh	Weight:		Gender: Female Male			
Email:	Diagnosis Code:									
INSURANCE INFORMATION (or c	ittach copy of	the cards)								
Primary Insurance: Policy Holder:		Relationship: Po			Policy #:	blicy #: Group #:				
Secondary Insurance: Policy Holder:				Relationship:		Policy #:		Group #:		
PRESCRIPTION INFORMATION (for IV medication attach a copy of the prescription)										
AMJEVITA" (adalimumab-atto) SureClick 40 mg/0.8 mL PFS 20 mg/0.4 mL PFS 40 mg/0.8 mL Induction: 160 mg SUBQ Day 1 4 x 40 mg SUBQ in one day 2 x 40 mg SUBQ per day for two consecutive days 2 x 40 mg SUBQ Day 15 Qty: 6 Refills: 0 Maintenance: 0 40 mg SUBQ every other week Qty: Refills: 0 CIMZIA® (certolizumab pegol) PFS Lyophilized Powder Induction: 400 mg (2 x 200 mg) SUBQ weeks 0, 2, 4 Qty: 28 day supply Refills: 0 Maintenance: 2 x 200 mg SUBQ every 4 weeks Qty: 28 day supply Refills: 0 DUPIXENT® (dupilumab) PFS 2 colo mg/1.14 mL 15 kg < 30 kg inject 200 mg SUBQ every other week 30 kg < 40 kg inject 300 mg SUBQ every week 40 kg or more inject 300 mg SUBQ every week Substantiation of the supplement of th		OMVOH™ (minkizumab-mrkz) □ Vial 20 mg/mL □ PFS 100 mg/mL □ V Induction: Inject 300 mg IV at weeks 0, 4, 8 Qty: 1 Refills: 2 Maintenance: □ 2 x 100 mg SUBQ weeks 12 and every 4 weeks Qty: 2 PFS Refills: □ RINVOQ® (upadacitinib) extended-release tablets □ 45 mg Induction: □ 45 mg PO once daily for 8 weeks □ 45 mg PO once daily for 12 weeks Qty: 30 Refills: □ □ 15 mg PO once daily □ 15 mg PO once daily ■ 15 mg PO once daily □ 15 mg PO once daily □ 15 mg PO once daily ■ 15 mg PO once daily □ 20			Qty: 4 STELARA® (ustellar IV Induction: 390 mg (pt weil 520 mg (pt weil Qty: Kathering 8 weels Qty: 1 TREMFYA® (guss) PFS □ Pen 100 mg □ 200 Induction: 200 Qty: Maintenance: Inject 100 mg S thereafter Inject 200 mg S thereafter Qty:	□ 4 submucosal injections Qty: 4 Refills: STELARA® (ustekinumab) IV Induction: □ 260 mg (pt weight: ≤ 55 kg) □ 390 mg (pt weight: 56-85 kg) □ 520 mg (pt weight: >85 kg) Qty: □ Refills: 0 Maintenance: □ Starting 8 weeks after IV induction dose, 90 mg SUBQ every 8 weeks Qty: 1 Refills: □ TREMFYA® (guselkumab) □ PFS □ Pen □ 100 mg □ 200 mg □ Induction: 200 mg IV infused weeks 0, 4, and 8 Qty: □ Refills: □ Maintenance: □ PFS □ AutoInjecter □ Inject 100 mg SUBQ at week 16 and every 8 weeks thereafter □ Inject 200 mg SUBQ at week 12 and every 4 weeks thereafter □ Inject 200 mg SUBQ at week 12 and every 4 weeks thereafter □ UCERIS® (budesonide) 9 mg Extended-Release Tablet				
Qty: 4 for 28 days Refills:		Qty:		Refills:		Qty: 30		Refills	;:	
Entocort® (budesonide) 3 mg capsules 9 mg PO daily Qty: 90 Qty: 90 Refills: HUMIRA® (adalimumab) Pen Pen PFS Citrate Free (CF) Original Formula Induction: 160 mg SUBQ Day 1, 80 mg SUBQ Day 15 B omg SUBQ Day 1, 80 mg SUBQ Day 2, 80 mg SUBQ Day 15 Qty: 1 pack Refills: 0 Maintenance: 40 mg SUBQ every other week Qty: 28 day supply Refills: ** If dosage form is not selected, PENS will be dispensed.**		SIMPONI® (golimumab) □ FS □ Autoinjector □ Induction: 200 mg (2 x 100 mg) SUBQ at week 0 □ Maintenance: Qty: 2 syringes Refills: 0 □ Starting at week 2 of treatment, 100 mg SUBQ every 4 □ Maintenance: 5 mg PO twice dail Qty: Refills: 0 Qty: Refills: 0 Starting at week 2 of treatment, 100 mg SUBQ every 4 □ XIFAXAN® (rifaximin) □ 200 mg tablet □ 550 mg to Qty: Refills: 0 SKYRIZI™ (risankizumab-rzaa) □ VIAL □ 400 mg intravenously weeks 0, 4, 8 □ 1,200 mg intravenously weeks 0, 4, 8 □ 1,200 mg intravenously weeks 0, 4, 8 □ 7-day titration: days 1-4: Give 0. Qty: Refills: 2 Maintenance: □ OBI □ Color animod)					Refills PO twice daily Refills S50 mg tablet es per day for 14 c es per day for 16 c nes per day for Refills -4: Give 0.23 mg	s:		
		□ 180 mg SUBC □ 360 mg SUBC Qty:1	ing at week 12, then every 8 ing at week 12, then every 8 Refills:	Qty: 1	Qty: 1 Refills: None Maintenance Dosing: Starting day 8, 0.92 mg PO daily					
IMMUNOSUPPRESSIVE INFUSION Display Biosimilar authorized AVSOLA® ENTYVIO® INFLECTRA® Infliximab REMICADE® RENFLEXIS® Initial Dose: mg/kg at week 0, 2, and 6 Maintenance Dose: mg/kg every 8 weeks Other: mg/kg every weeks Refills:										
□ OTHER STRENGTH:		SIG/DIRECTIC	ONS:			REFILLS:		QUANTITY:		
As required by your state, Prescriber to check "Dispense as written" or handwrite "Brand Medically Necessary" and sign to prevent generic substitution.										
PHYSICIAN INFORMATION	Injection Training	_	Office to Instru	ct_	SP to Arran	ge Teaching				
Prescriber Name:			Phone:			Fax:				
Office Contact:			Email:							
Address:			City:			State:	State: ZIP:			
NPI #:			Tax ID#:			Ship To:	Ship To: Patient MD Office			
Prescriber Signature:			Date:							